Botany Evolution LLC

CERTIFICATE OF ANALYSIS

GENERAL	INFORMATION
---------	-------------

Report Date	4/10/2025	Country of Ori	gin	Vanuatu	
Sample Number	Sample Number S2240		ing	USA Apr-25	
Product Name Premium Instant		Manufacture Da	ate		
Lot Number V	Number VPS2412-PI4		Best By Date		
ITEM	SPECIFICATION	TEST RESULTS		METHOD	
HYSICAL & CHEMICAL					
Identification	Piper methysticum	Complies		HPLC	
Appearance	Beige to Yellow Powder	Complie	es	Organoleptic	
Kavalactone Standard	valactone Standard 2-17 % Kavalactones		8.79%		
Kavalactone Profile Noble		Pass		HPLC	
Chemotype	Chemotype If # 5 is in 1st or 2nd in Abundance		6	HPLC	
K/DHM	> 1.2 for Noble	3.3	S CAL	Calculation	
		Results	1	CT LAS.	
Arsenic (As)	NMT 1,000 (ppb)*	12.4	ppb	FDA EAM 4.7	
Cadmium (Cd)	NMT 1,000 (ppb)*	461	ppb	FDA EAM 4.7	
Lead (Pb)	NMT 1,000 (ppb)*	138	ppb	FDA EAM 4.7	
Mercury (Hg)	NMT 1,000 (ppb)*	< 10	ppb	FDA EAM 4.7	
*Heavy Metals Action Limits Based on I	Maximum PDE at 5% Kavalactones. Results N	lay Exceed 1,000 ppb activ	on limit with higher	kavalactone contents.	
AICROBIOLOGICAL					
	and the second	Results		1	
AEROBIC PLATE COUNT	NMT 10,000,000 cfu	50,000	cfu / 10 g	USP 61	
E. COLI	ABSENT (cfu/10g)	Negative	cfu / 10 g	USP 62	
PSEUDOMONAS AERUGINOSA	ABSENT (cfu/10g)	Negative	cfu / 10 g	USP 62	
SALMONELLA	ABSENT (cfu/10g)	Negative	cfu / 10 g	USP 62	
STAPHYLOCOCCUS AUREUS	ABSENT (cfu/10g)	Negative	cfu / 10 g	USP 62	
YEAST	NMT 100,000 cfu (Combined)	100	cfu / 10 g	4	
MOLD	tenti 100,000 ciu (combined)	10	cfu / 10 g	USP 2021	
TOTAL YEAST & MOLD	NMT 100,000 cfu (Combined)	110	cfu / 10 g		
cfu/g = Colony Forming Units Per	Gram NMT = No More Than	PDE = Permitted D	ally Exposure	PPB = Parts Per B	

Analysis Performed by a Third-Party Laboratory

We are dedicated to offer the best quality of botanical products on the market. We test and stand behind our products. Disclaimer * The test results are accurate to the best of our knowledge and are based upon reputable laboratory and industry standard testing methods.

These results should not be used as a final determination for use in a finished product. It is recommended that you verify these test results with an in-house quality control department or obtain an additional independent third-party lab to verify that this material meets specifications.

Botany Evolution, its board of directors, contract laboratories, employees, and affiliates are held harmless from any loss or damages resulting from the use or misuse of this document. The appropriate use of this product is the sole responsibility of the user of the purchasing party.

Manager_____ Signature: ______ Subeh_____

Authorized By (Name / Title): _____ Sabeh

Botany Evolution LLC

2510 Kirby Circle NE Palm Bay, FL 32945 321-802-4583

Certificate Of Analysis

Sample Identification Information

Date of Analysis 4/10/2025	Country of Origin	VANUATU
Sample: S2240	Country of Processing	USA
Product Name PREMIUM INSTANT	Manufacture Date	Apr-25
Lot# VPS2412-PI4	Best By Date	Apr-28

General Product Specifications

Analyzed Characteristics <u>Standardization</u> Identification

Kavalactone Profile

Mesh Size

Chemotype

K/DHM

<u>Color</u> <u>Odor</u> Taste

Product Species Piper Methysticum
Part Used Root

<u>Common Names</u> Appearance

Kava kava, Awa, Yagona Yellow, Brown, beige powder

Specification	Result	Test Method
2-17% Kavalactones	8.79%	HPLC
Complies by HPLC	Conform	HPLC
Noble	PASS	HPLC
60-30	60	Sieve
Beige to Yellow	Pass	Visual
1 C	Pass	Organoleptic
	Pass	Organoleptic
	243516	HPLC
TUDEI < 1.2 > NOBLE	3.3	Calculation

Kavalactones	Code	Peaks Ref. (elution order)	Correction Factor	Area *	Area %	Corrected Kavalactones	Chemotype Identifier
Standard Kavain	K	New Y		2258.332	10		
Methysticin	м	1	2.21	405.411	5.38%	0.55%	6
Dihydromethysticin	DHM	2	3.38	387.915	5.15%	0.81%	5
Kavain	к	3	1	4331.227	57.46%	2.67%	4
Dihydrokavain	DHK	4	3.48	1304.882	17.31%	2.79%	2
Desmethoxyyangonin	DMY	5	2.52	408.43	5.42%	0.63%	1
Yangonin	Y	6	3.12	700.059	9.29%	1.34%	3
Kavalactones			Total:	7537.924	100.00%	8.79%	243516

*See data in attachment HPLC1100 Agilent Certificate with Chromatogram graph.

This result are in house tested and the best of our knowledge and experience. Using calibrated equipment.

Must youngs

We are dedicated to offer the best Quality of Botanical products on the market. We test and stand behind our products.

Disclaimer* the test results are accurate to the best of our knowledge and are based upon reputable laboratory and industry standard testing methods.

These results should not be used as a final determination for use in a finished product. It is recommended that you verify these test results with an

in house quality control department or obtain an additional independent third party lab to verify that this material meets specifications

Botany Evolution, its board of directors, contract laboratories, employees, and affiliates are held harmless from any loss or damages resulting from the

use or misuse of this document. The appropriate use of this product is the sole responsibility of the user of the purchasing party.

Chemist

Date

Botany Evolution LLC		(8)
2510 Kirby Circle NE	Kavalactone Analysis	
Palm Bay, FL 32945		
321-802-4583	SAMPLE S2240	
	Vial 11	
0.75419g/50mL		
wavelength 246 nm		
	A_04_10_2025_15MINSTDTESTMETHOD_2025-04-10_17-41-41\01->	
Injection date 4/10/	\DATA\KAVA_04_10_2025>	
Injection time 9:28:4		
Acq. operator KRISI		
Method	C:\CHEM32\1\DATA\KAVA 04 10 202->	
	Ref=500,60 (KAVA_04_10_2025_15MINSTDTESTMETHOD 2025-04-10 17-41-41\011-1101.D)	
mAU –]		
-	ava	
300	6.361 - kavain	
	361	
250 -	a contraction of the second seco	
	u kav	
200	dihydrokavain	
1		
150 -		
	6.967 Samet	
100 -		
1	8.12 - 8.12 - 8.12 - 9.147	
50 -	5.528 5.812- 9.147	
0 -		
0 2.5	5 7.5 10 12.5 min	
# COMPOUND	RET. TIME AREA AREA & AMOUNT	
1 methysticin	5.528 . 405.411 5.38 0.000	
2 dihydromethystici	in 5.812 387.915 5.15 0.000	
<pre>2 dihydromethystici 3 kavain</pre>	in 5.812 387.915 5.15 0.000 6.361 4331.227 57.46 0.000	
<pre>2 dihydromethystici 3 kavain 4 dihydrokavain</pre>	in 5.812 387.915 5.15 0.000 6.361 4331.227 57.46 0.000 6.967 1304.882 17.31 0.000	
2 dihydromethystici 3 kavain 4 dihydrokavain 5 desmethoxyyangoni	in 5.812 387.915 5.15 0.000 6.361 4331.227 57.46 0.000 6.967 1304.882 17.31 0.000 in 8.874 408.430 5.42 0.000	
<pre>2 dihydromethystici 3 kavain 4 dihydrokavain</pre>	in 5.812 387.915 5.15 0.000 6.361 4331.227 57.46 0.000 6.967 1304.882 17.31 0.000	
2 dihydromethystici 3 kavain 4 dihydrokavain 5 desmethoxyyangoni	in 5.812 387.915 5.15 0.000 6.361 4331.227 57.46 0.000 6.967 1304.882 17.31 0.000 in 8.874 408.430 5.42 0.000	
2 dihydromethystici 3 kavain 4 dihydrokavain 5 desmethoxyyangoni	in 5.812 387.915 5.15 0.000 6.361 4331.227 57.46 0.000 6.967 1304.882 17.31 0.000 in 8.874 408.430 5.42 0.000	
2 dihydromethystici 3 kavain 4 dihydrokavain 5 desmethoxyyangoni	in 5.812 387.915 5.15 0.000 6.361 4331.227 57.46 0.000 6.967 1304.882 17.31 0.000 in 8.874 408.430 5.42 0.000	

4114/25