2510 Kirby Circle NE Suite 110 Palm Bay, FL 32905

(321) 802 - 4583 labreports@kavadepot.com

CERTIFICATE OF ANALYSIS

Report Date	9/2/2025	Country of Orig	gin Sc	olomon Islands	
Sample Number	S2285	Country of Processi	ng	USA	
Product Name Go	ld Basal Roots	Manufacture Da	ate	Aug-25	
Lot Number S	IK2508GBR8	Best By Date		Aug-28	
ITEM	SPECIFICATION	TEST RESU	JLTS	METHOD	
HYSICAL & CHEMICAL	•				
Identification	Piper methysticum	Complie	es	HPLC	
Appearance	Beige to Yellow Powder	Complies		Organolepti	
Kavalactone Standard	2-17 % Kavalactones	12.16%		HPLC	
Kavalactone Profile	Noble	Pass		HPLC	
Chemotype	If # 5 is in 1st or 2nd in Abundance	243510		HPLC	
K/DHM	> 1.2 for Noble	3.4		Calculation	
EAVY METALS					
	AND THE RESERVE OF THE PARTY OF	Results			
Arsenic (As)	NMT 1,000 (ppb)*	10	ppb	FDA FAM 4.	
Cadmium (Cd)	NMT 1,000 (ppb)*	0	ppb	FDA EAM 4.	
Lead (Pb)	NMT 1,000 (ppb)*	99.9	ppb	FDA FAM 4.	
Mercury (Hg) *Heavy Metals Action Limits Based on	NMT 1,000 (ppb)* Maximum PDE at 5% Kavalactones. Results	10 May Exceed 1,000 ppb action	ppb on limit with higher	FDA EAM 4. r kavalactone contents	
/IICROBIOLOGICAL					
MICROBIOLOGICAL		Results			
AEROBIC PLATE COUNT	NMT 10,000,000 cfu	900	cfu/10g	USP 2021	
E. COLI	ABSENT (cfu/10g)	Negative	cfu/10g	USP 2022	
LISTERIA MONOCYTOGENES	ABSENT (cfu/10g)	Negative	cfu / 10 g	USP 2022	
PSEUDOMONAS AERUGINOSA	ABSENT (cfu/10g)	Negative	cfu / 10 g	USP 2022	
SALMONELLA	ABSENT (cfu/10g)	Negative	cfu / 10 g	USP 2022	
STAPHYLOCOCCUS AUREUS	ABSENT (cfu/10g)	0	cfu / 10 g	USP 2022	
YEAST		500	cfu / 10 g		
MOLD	NMT 100,000 cfu (Combined)	100	cfu / 10 g	USP 2021	
TOTAL YEAST & MOLD	NMT 100,000 cfu (Combined)	600	cfu/10g		
	And the same of th				

We are dedicated to offer the best quality of botanical products on the market. We test and stand behind our products.

Disclaimer * The test results are accurate to the best of our knowledge and are based upon reputable laboratory and industry standard testing methods.

These results should not be used as a final determination for use in a finished product. It is recommended that you verify these test results with an in-house quality control department or obtain an additional independent third-party lab to verify that this material meets specifications.

Kava Republic, its board of directors, contract laboratories, employees, and affiliates are held harmless from any loss or damages resulting from the use or misuse of this document. The appropriate use of this product is the sole responsibility of the user of the purchasing party.

Completed By:	Long Sall	Title:	Manager	Date:	9/4/2025	
Completed By:	(107) 700	litle:	1-1411490	Date:	1/4/2003	

Cava Republic Inc.

2510 Kirby Circle NE Palm Bay, FL 32905 321-802-4583

Certificate Of Analysis

Sample Identification Information

Date of Analysis 9/2/2025

Sample: S2285

Product Name GOLD BASAL ROOTS

Lot# SIK2508GBR8

Country of Origin

SOLOMON ISLANDS

Country of Processing

Manufacture Date

Aug-25

USA

Best By Date

Aug-28

General Product Specifications

Product Species Piper Methysticum

Part Used Root

Common Names

Appearance

Kava kava, Awa, Yagona

Y

Yellow, Brown, beige powder

Analyzed Characteristics

Mesh Size

Color

Standardization

Kavalactone Profile

Identification

Specification

Complies by HPLC

Beige to Yellow

Noble

60-30

2-17% Kavalactones

12.16%

Conform

Result

PASS

60

Pass

Pass

Pass

3.4

243516

Test Method

HPLC

HPLC

HPLC

Sieve

Visual

Organoleptic

Organoleptic

HPLC

Calculation

Odor
Taste
Chemotype

K/DHM TUDEI < 1.2 > NOBLE

Kavalactones	Code	Peaks Ref.	Correction Factor	Area *	Area %	Corrected Kavalactones	Chemotype Identifier
Standard Kavain	К			2383.363			
Methysticin	М	1	2.21	434.0529	4.00%	0.56%	6
Dihydromethysticin	DHM	2	3.38	536.983	4.95%	1.06%	5
Kavain	K	3	1	6214.59	57.31%	3.62%	4
Dihydrokavain	DHK	4	3.48	2178.245	20.09%	4.42%	2
Desmethoxyyangonin	DMY	5	2.52	546.173	5.04%	0.80%	1
Yangonin	Υ	6	3.12	933.076	8.61%	1.70%	3
Kavalactones			Total:	10843.120	100.00%	12.16%	243516

^{*}See data in attachment HPLC1100 Agilent Certificate with Chromatogram graph.

Chemist

Mustl Youngs

Date

9/3/25

This result are in house tested and the best of our knowledge and experience. Using calibrated equipment.

We are dedicated to offer the best Quality of Botanical products on the market. We test and stand behind our products.

Disclaimer* the test results are accurate to the best of our knowledge and are based upon reputable laboratory and industry standard testing methods.

These results should not be used as a final determination for use in a finished product. It is recommended that you verify these test results with an

in house quality control department or obtain an additional independent third party lab to verify that this material meets specifications

Kava Repuiblic Inc., its board of directors, contract laboratories, employees, and affiliates are held harmless from any loss or damages resulting from the use or misuse of this document. The appropriate use of this product is the sole responsibility of the user of the purchasing party.

ava Republic Inc. 510 Kirby Circle NE alm Bay, FL 32905 21-802-4583

Kavalactone Analysis

SAMPLE S2285 Vial 15

.75393g/50mL

avelength 246 nm

:\CHEM32\1\DATA\KAVA 08 30 2025 15MINSTDTESTMETHOD 2025-09-02 15-04-21\01->

EQUENCE C:\CHEM32\1\DATA\KAVA 08 30 2025

njection date 9/2/2025

njection time 7:55:37 PM .cq. operator KRISTL

lethod C:\CHEM32\1\DATA\KAVA 08 30 202-> DAD1 C, Sig=246,10 Ref=500,60 (KAVA_08_30_2025_15MINSTDTESTMETHOD 2025-09-02 15-04-21\015-1501.D) mAU _ 350 300 0/1/2// 250 200 8.247 150 100 50 12.5 0 10 AREA AREA % AMOUNT

Τ	methysticin	0.000	0.000	0.00	0.000
2	dihydromethysticin	0.000	0.000	0.00	0.000
3	kavain	6.551	434.059	4.00	0.000
4		6.891	536.983	4.95	0.000
5	dihydrokavain .	0.000	0.000	0.00	0.000
6		7.530	6214.590	57.31	0.000
7		8.247	2178.245	20.09	0.000
3	desmethoxyyangonin	0.000	0.000	0.00	0.000
9	yangonin	0.000	0:000	0.00	0.000
10		10.538	546.173	5.04	0.000
11		10.872	933.076	8.61	0.000