

CERTIFICATE OF ANALYSIS

GENERAL INFORMATION

Report Date	10/31/2025	Country of Origin	Vanuatu
Sample Number	S2310	Country of Processing	USA
Product Name	Traditional	Manufacture Date	Oct-25
Lot Number	VSSC2510TR10	Best By Date	Oct-28

ITEM	SPECIFICATION	TEST RESULTS	METHOD
------	---------------	--------------	--------

PHYSICAL & CHEMICAL

Identification	Piper methysticum	Complies	HPLC
Appearance	Beige to Yellow Powder	Complies	Organoleptic
Kavalactone Standard	2-17 % Kavalactones	7.82%	HPLC
Kavalactone Profile	Noble	Pass	HPLC
Chemotype	If # 5 is in 1st or 2nd in Abundance	245361	HPLC
K/DHM	> 1.2 for Noble	1.3	Calculation

HEAVY METALS

		Results		
Arsenic (As)	NMT 1,000 (ppb)*	35.7	ppb	FDA EAM 4.7
Cadmium (Cd)	NMT 1,000 (ppb)*	299.7	ppb	FDA EAM 4.7
Lead (Pb)	NMT 1,000 (ppb)*	110.6	ppb	FDA EAM 4.7
Mercury (Hg)	NMT 1,000 (ppb)*	10.0	ppb	FDA EAM 4.7

*Heavy Metals Action Limits Based on Maximum PDE at 5% Kavalactones. Results May Exceed 1,000 ppb action limit with higher kavalactone contents.

MICROBIOLOGICAL

		Results		
AEROBIC PLATE COUNT	NMT 10,000,000 cfu	490,000	cfu / 10 g	USP 2021
E. COLI	ABSENT (cfu/10g)	Negative	cfu / 10 g	USP 2022
LISTERIA MONOCYTOGENES	ABSENT (cfu/10g)	Negative	cfu / 10 g	USP 2022
PSEUDOMONAS AERUGINOSA	ABSENT (cfu/10g)	Negative	cfu / 10 g	USP 2022
SALMONELLA	ABSENT (cfu/10g)	Negative	cfu / 10 g	USP 2022
STAPHYLOCOCCUS AUREUS	ABSENT (cfu/10g)	Negative	cfu / 10 g	USP 2022
YEAST	NMT 100,000 cfu (Combined)	5,700	cfu / 10 g	
MOLD		5,900	cfu / 10 g	USP 2021
TOTAL YEAST & MOLD	NMT 100,000 cfu (Combined)	11,600	cfu / 10 g	

cfu/g = Colony Forming Units Per Gram

NMT = No More Than

PDE = Permitted Daily Exposure

PPB = Parts Per Billion

Analysis Performed by a Third-Party Laboratory

We are dedicated to offer the best quality of botanical products on the market. We test and stand behind our products.

Disclaimer * The test results are accurate to the best of our knowledge and are based upon reputable laboratory and industry standard testing methods.

These results should not be used as a final determination for use in a finished product. It is recommended that you verify these test results with an in-house quality control department or obtain an additional independent third-party lab to verify that this material meets specifications.

Kava Republic, its board of directors, contract laboratories, employees, and affiliates are held harmless from any loss or damages resulting from the use or misuse of this document. The appropriate use of this product is the sole responsibility of the user of the purchasing party.

Completed By: *[Signature]*

Title: Manager

Date: 11/3/2025

Kava Republic Inc.
2510 Kirby Circle NE
Palm Bay, FL 32905
321-802-4583

Certificate Of Analysis

Sample Identification Information

Date of Analysis 10/31/2025

Sample: S2310

Product Name Traditional

Lot# VSSC2510TR10

Country of Origin

VANUATU

Country of Processing

USA

Manufacture Date

Oct-25

Best By Date

Oct-25

General Product Specifications

Product Species Piper Methysticum

Common Names

Kava kava, Awa, Yagona

Part Used Root

Appearance

Yellow, Brown, beige powder

Analyzed Characteristics

Specification

Result

Test Method

Standardization

2-17% Kavalactones

7.82%

HPLC

Identification

Complies by HPLC

Conform

HPLC

Kavalactone Profile

Noble

PASS

HPLC

Mesh Size

60-30

60

Sieve

Color

Beige to Yellow

Pass

Visual

Odor

Pass

Organoleptic

Taste

Pass

Organoleptic

Chemotype

245361

HPLC

K/DHM

TUDEI < 1.2 < NOBLE

1.3

Calculation

Kavalactones	Code	Peaks Ref. (elution order)	Correction Factor	Area *	Area %	Corrected Kavalactones	Chemotype Identifier
Standard Kavain	K			2623.208			
Methysticin	M	1	2.21	705.629	10.10%	0.83%	6
Dihydromethysticin	DHM	2	3.38	722.715	10.34%	1.30%	5
Kavain	K	3	1	3250.965	46.52%	1.73%	4
Dihydrokavain	DHK	4	3.48	1356.641	19.41%	2.51%	2
Desmethoxyyangonin	DMY	5	2.52	400.002	5.72%	0.54%	1
Yangonin	Y	6	3.12	552.692	7.91%	0.92%	3
Kavalactones			Total:	6988.644	100.00%	7.82%	245361

*See data in attachment HPLC1100 Agilent Certificate with Chromatogram graph.

This result is in house tested and the best of our knowledge and experience. Using calibrated equipment.

We are dedicated to offer the best Quality of Botanical products on the market. We test and stand behind our products.

Disclaimer* the test results are accurate to the best of our knowledge and are based upon reputable laboratory and industry standard testing methods.

These results should not be used as a final determination for use in a finished product. It is recommended that you verify these test results with an in house quality control department or obtain an additional independent third party lab to verify that this material meets specifications

Kava Republic Inc., its board of directors, contract laboratories, employees, and affiliates are held harmless from any loss or damages resulting from the use or misuse of this document. The appropriate use of this product is the sole responsibility of the user of the purchasing party.

Chemist *Nigel Asamen*

Date *11/3/25*

SAMPLE S2310
Vial 12

0.75g/50mL

wavelength 246 nm

C:\CHEM32\1\DATA\KAVA_10_31_2025_15MINSTDTESTMETHOD 2025-10-31 13-21-45\01->
SEQUENCE C:\CHEM32\1\DATA\KAVA_10_31_2025_ ->


Injection date 10/31/2025

Injection time 7:02:34 PM

Acq. operator KRISTL

Method C:\CHEM32\1\DATA\KAVA_10_31_202->

DAD1 C, Sig=246,10 Ref=500,60 (KAVA_10_31_2025_15MINSTDTESTMETHOD 2025-10-31 13-21-45\012-1201.D)



#	COMPOUND	RET. TIME	AREA	AREA %	AMOUNT
1	Methysticin	6.115	705.629	10.10	0.001
2	Dihydromethysticin	6.426	722.715	10.34	0.001
3	Kavain	7.003	3250.965	46.52	0.000
4	Dihydrokavain	7.659	1356.641	19.41	0.002
5	Desmethoxyyangonin	9.796	400.002	5.72	0.000
6	Yangonin	10.136	552.692	7.91	0.001