## Kava Republic Inc.

2510 Kirby Circle NE Palm Bay, FL 32905 321-802-4583

## **Certificate Of Analysis**

## Sample Identification Information

Date of Analysis 10/31/2025

Sample: S2313

Product Name INSTANT KAVA

Lot# USKR2509DKI10

# **General Product Specifications**

**Product Species** Piper Methysticum

Part Used Root

DESIGNER INSTANT LIMITED EDITION

**Country of Origin** 

**USA Country of Processing** 

Manufacture Date

Sep-25

USA

Best By Date

Sep-28

Common Names

Appearance

Kava kava, Awa, Yagona

Yellow, Brown, beige powder

### **Analyzed Characteristics**

Standardization

Identification

**Kavalactone Profile** 

Mesh Size

Color

Odor Taste

Chemotype

K/DHM

Specification

2-17% Kavalactones

Complies by HPLC

Noble

60-30

Beige to Yellow

TUDEI < 1.2 < NOBLE

Result

6.10%

Conform

PASS

60

Pass

Pass

Pass

245361

1.3

**Test Method** 

HPLC

HPLC

HPLC

Sieve

Visual

Organoleptic

Organoleptic

HPLC

Calculation

Kavalactones	Code	Peaks Ref.	Correction Factor	Area *	Area %	Corrected Kavalactones	Chemotype Identifier
Standard Kavain	К			2623.208			
Methysticin	M	1	2.21	651.002	12.01%	0.77%	6
Dihydromethysticin	DHM	. 2	3.38	572.788	10.57%	1.03%	5
Kavain	K	3	1	2436.745	44.96%	1.30%	4
Dihydrokavain	DHK	4	3.48	950.337	17.53%	1.76%	2
Desmethoxyyangonin	DMY	5	2.52	292.188	5.39%	0.39%	1
Yangonin	Υ	6	3.12	517.008	9.54%	0.86%	3
Kavalactones			Total:	5420.068	100.00%	6.10%	245361

<sup>\*</sup>See data in attachment HPLC1100 Agilent Certificate with Chromatogram graph.

This result are in house tested and the best of our knowledge and experience. Using calibrated equipment.

We are dedicated to offer the best Quality of Botanical products on the market. We test and stand behind our products.

Disclaimer\* the test results are accurate to the best of our knowledge and are based upon reputable laboratory and industry standard testing methods.

These results should not be used as a final determination for use in a finished product. It is recommended that you verify these test results with an

in house quality control department or obtain an additional independent third party lab to verify that this material meets specifications

Kava Repuiblic Inc., its board of directors, contract laboratories, employees, and affiliates are held harmless from any loss or damages resulting from the use or misuse of this document. The appropriate use of this product is the sole responsibility of the user of the purchasing party.

Kava Republic Inc. 2510 Kirby Circle NE Palm Bay, FL 32905 321-802-4583

Kavalactone Analysis

SAMPLE S2313 · Vial 15

0.75 (B9g/50mL

wavelength 246 nm

C:\CHEM32\1\DATA\KAVA\_10\_31\_2025\_15MINSTDTESTMETHOD\_2025-10-31\_13-21-45\01->

SEQUENCE C:\CHEM32\1\DATA\KAVA 10 31 2025

Injection date 10/31/2025

Injection time 7:51:03 PM

Acq. operator KRISTL

