3otany Evolution LLC

2510 Kirby Circle NE alm Bay, FL 32945 21-802-4583

Certificate Of Analysis

Sample Identification Informatic	n
----------------------------------	---

Date of Analyis 9/12/2022		Country of Origin	SOLOMON ISLANDS	
Sample: \$1681	Country of Processing	USA		
Product Name KASTON	<u>Manufacture Date</u>	09/07/22		
Lot# SIK220907KM		Best By Date	09/07/25	
General Product Specificat	ions			
Product Species Piper N	Common Names	Kava kava, Awa, Yagona		
Part Used Root		Appearance	Yellow, beige powder	
		EVIA	Mr.	
Analyzed Characteristics	Specification	Result		Test Method
Standardization	2-17% Kavalactones	12.22%	a and the second	HPLC
Identification	Complies by HPLC	Conform		HPLC
Kavalactone Profile	Noble	PASS		HPLC
Mesh Size	60-30	60		Sieve
Color	Beige to Yellow	Pass		Visual
Odor 🖉 🍘		Pass		Organoleptic
Taste		Pass		Organoleptic
<u>Chemotype</u>		243156	BE	HPLC
<u>K/DHM</u>		3.8		Calculation

			Contraction of the contract of the second second			
Code	Peaks Ref. (elution order)	Correction Factor	Area *	Area %	Corrected Kavalactones	Chemotype Identifier
к	6.3		2397.119			
М	1	2.21	656.819	5.93%	0.79%	6
DHM	2	3.38	515.666	4.65%	0.92%	5
К	3	1	6376. <mark>0</mark> 7	57.53%	3.52%	4
DHK	4	3.08	1759.403	15.87%	4.09%	2
DMY	5	2.52	858.956	7.75%	1.30%	1
Y	6	3.12	916.5 <mark>3</mark> 5	8.27%	1.60%	3
		Total:	11083.449	100.00%	12.22%	243156
	K M DHM K DHK DMY	Code(elution order)K1DHM2K3DHK4DMY5	Code Factor K Factor M 1 2.21 DHM 2 3.38 K 3 1 DHK 4 3.08 DMY 5 2.52 Y 6 3.12	Code Factor Area * K 2397.119 M 1 2.21 656.819 DHM 2 3.38 515.666 K 3 1 6376.07 DHK 4 3.08 1759.403 DMY 5 2.52 858.956	Code Factor Area * Area % K 2397.119 Area % M 1 2.21 656.819 5.93% DHM 2 3.38 515.666 4.65% K 3 1 6376.07 57.53% DHK 4 3.08 1759.403 15.87% DMY 5 2.52 858.956 7.75% Y 6 3.12 916.535 8.27%	Code Factor Area * Area % Area % Kavalactones K 2397.119 5.93% 0.79% 1 M 1 2.21 656.819 5.93% 0.79% DHM 2 3.38 515.666 4.65% 0.92% K 3 1 6376.07 57.53% 3.52% DHK 4 3.08 1759.403 15.87% 4.09% DMY 5 2.52 858.956 7.75% 1.30% Y 6 3.12 916.535 8.27% 1.60%

*See data in attachment HPLC1100 Agilent Certificate with Chromatogram graph.

This result are in house tested and the best of our knowledge and experience. Using calibrated equipment.

Just

We are dedicated to offer the best Quality of Botanical products on the market. We test and stand behind our products.

Disclaimer* the test results are accurate to the best of our knowledge and are based upon reputable laboratory and industry standard testing methods.

These results should not be used as a final determination for use in a finished product. It is recommended that you verify these test results with an

in house quality control department or obtain an additional independent third party lab to verify that this material meets specifications

Jours

Botany Evolution, its board of directors, contract laboratories, employees, and affiliates are held harmless from any loss or damages resulting from the

use or misuse of this document. The appropriate use of this product is the sole responsibility of the user of the purchasing party.

Chemist

9/13/22 Date

